

Appointment

From: Lo, Doris [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8F72BECA767544938604194731D4BAB0-DLO]
Sent: 8/26/2019 10:21:55 PM
To: Lo, Doris [Lo.Doris@epa.gov]; Jon Klassen [Jon.Klassen@valleyair.org]; Chay Thao [chay.thao@valleyair.org]; Law, Nicole [Law.Nicole@epa.gov]; Gong, Kevin [Gong.Kevin@epa.gov]; Hong, Jeanhee [Hong.Jeanhee@epa.gov]; Kurpius, Meredith [Kurpius.Meredith@epa.gov]; LEVIN, NANCY [Levin.Nancy@epa.gov]; Mays, Rory [Mays.Rory@epa.gov]; R9SF-ConferenceLine-6-AIR-4 [R9SF-ConferenceLine-6-AIR-4@epa.gov]; Vanderspek, Sylvia@ARB [Sylvia.Vanderspek@arb.ca.gov]
CC: Sheraz Gill [Sheraz.Gill@valleyair.org]; Christenson, Kara [Christenson.Kara@epa.gov]; Carr, Laura@ARB [Laura.Carr@arb.ca.gov]
BCC: R9SF-VTCRoom-18122-18-White Mountain [R9SF-VTCRoom-18122-18-White_Mountain@epa.gov]
Subject: SJV/EPA rules/MSM (most stringent measures) discussion
Location: R9SF-VTCRoom-18122-18-White Mountain
Start: 9/3/2019 8:00:00 PM
End: 9/3/2019 9:00:00 PM
Show Time As: Busy

Hi everyone – we would like to propose the following agenda for our discussion at 1 pm today.

Agenda for 9/3/19 MSM discussion:

1. Purpose of meeting/call: To discuss what additional information is needed for EPA to assess whether SJV has met the MSM requirements for the 2006 PM2.5 plan extension request. We would like to start with SJV's glass melting and IC engine rules. If we can get through these two categories today, we can discuss what other information might be needed.
2. Glass Melting – additional information needed:
 - a. Data from Owens-Brockway facility
 - b. Information on the container glass melting facilities in the SJV: facility names, emissions, control technology, operation/process/product, next anticipated re-bricking, etc.
3. IC Engines – additional information needed:
 - a. Points 1-9 on pp. C-232 to C-234 of District's plan (Appendix C) – discuss if there's additional information.
 - b. Information on IC engines (ag and non-ag) in the Valley by type (e.g., Tier, current control devices).
4. Next steps – EPA review of additional information and follow up discussions on the above and other categories.

Hi all,

We can use the conference line below if we have 6 or fewer people that need to call in – let me know if you need to call in and if we have more than 6, I'll get a different line.

Conference Line for
Redacted

(EPA folks – we can meet in White Mountain room.)